

# THE ALLROUNDER FOR MIXED CONDITIONS

#### **DESIGNED FOR**

MILEAGE

MIXED TERRAINS

COMFORT

#### **TECH HIGHLIGHTS**








#### DESCRIPTION

The **Scorpion Sport XC M** is the latest introduction in Pirelli's Cross Country range, designed for a relaxed, non-competitive approach to MTB, in light XC and trail. For those looking for a safe, reliable and comfortable product.

The combination of the 60 TPI **ProWall** casing with sidewall protections and the **Procompound Endurance**, developed specifically for this product family, results in maximum resistance to punctures and cuts, ensuring product reliability and durability.

An "all rounder" suitable for any riding style.

### CHARACTERISTICS





# DESIGNED FOR MILEAGE ROLLING COMFORT TECH HIGHLIGHTS COMFORT


#### DESCRIPTION

The **Scorpion Sport XC H** is the latest introduction in Pirelli's Cross Country range, designed for a relaxed, non-competitive approach to MTB, in light XC and trail. For those looking for a safe, reliable and comfortable product.

The combination of the 60 TPI **ProWall** casing with side wall protections and the **Procompound Endurance**, developed specifically for this product family, results in maximum resistance to punctures and cuts, ensuring product reliability and durability.

The arrangement and geometry of the H deisgn are made to tackle hardpack and fast rolling surfaces.

#### CHARACTERISTICS



# **TECH OVERVIEW**

## COMPOUND





Cap & Base compound: of the two layers of rubber that make up the compound only one is always in contact with the ground, even when worn, effectively giving all the benefits of a singlecompound construction: uniform behavior, mileage and comfort

PROTECTION, MILEAGE AND COMFORT

## STRUCTURE






one ply 60 TPI plus sidewall reinforcements for maximum protection PROTECTION, RELIABILITY AND CONFORT

| SCORPION SPORT XC M 2.2 |              |                     |  |  |
|-------------------------|--------------|---------------------|--|--|
| ETRTO<br>Rim            | WIDTH<br>WAM | OUTER RADIUS<br>RAM |  |  |
| 25c                     | 55 mm        | 371 mm              |  |  |
| 30c                     | 57 mm        | 371 mm              |  |  |

| SCORPION SPORT XC M 2.4 |              |                     |  |  |  |  |
|-------------------------|--------------|---------------------|--|--|--|--|
| ETRTO<br>Rim            | WIDTH<br>WAM | OUTER RADIUS<br>RAM |  |  |  |  |
| 25c                     | 59 mm        | 373 mm              |  |  |  |  |
| 30c                     | 61 mm        | 373 mm              |  |  |  |  |
| 35c                     | 63 mm        | 373 mm              |  |  |  |  |

| SCORPION SPORT XC H 2.2 |              |                     |  |  |  |
|-------------------------|--------------|---------------------|--|--|--|
| ETRTO<br>Rim            | WIDTH<br>WAM | OUTER RADIUS<br>RAM |  |  |  |
| 25c                     | 55 mm        | 371 mm              |  |  |  |
| 30c                     | 57 mm        | 371 mm              |  |  |  |

| SCORPION SPORT XC H 2.4 |              |                     |  |  |  |
|-------------------------|--------------|---------------------|--|--|--|
| ETRTO<br>Rim            | WIDTH<br>WAM | OUTER RADIUS<br>RAM |  |  |  |
| 25c                     | 59 mm        | 373 mm              |  |  |  |
| 30c                     | 61 mm        | 373 mm              |  |  |  |
| 35c                     | 63 mm        | 373 mm              |  |  |  |



Developed under ETRTO standards: carefully check your rim width before use.

| DESCRIPTION                                    | IPCODE  | BEAD     | CASE               | TECHNOLOGY | WEIGHT (g) | COMPOUND              |
|--|---------|----------|--------------------|------------|------------|-----------------------|
| Scorpion <sup>™</sup> Sport XC <i>M</i> 29x2.2 | 4197600 | foldable | 1-ply 60 tpi - TLR | ProWall    | 703        | Procompound Endurance |
| Scorpion <sup>™</sup> Sport XC M 29x2.4        | 4197700 | foldable | 1-ply 60 tpi - TLR | ProWall    | 821        | Procompound Endurance |
| Scorpion <sup>™</sup> Sport XC <i>H</i> 29x2.2 | 4197400 | foldable | 1-ply 60 tpi - TLR | ProWall    | 703        | Procompound Endurance |
| Scorpion™ Sport XC <b>H</b> 29x2.4             | 4197500 | foldable | 1-ply 60 tpi - TLR | ProWall    | 821        | Procompound Endurance |

