



# Cinturato™ GRAVEL

Discover the new Cinturato Gravel range: enhanced, expanded, and perfected to push every ride that far more.

Every model now available in updated sizes and technologies: same proven designs with new rubber compounds and casing construction enhance every aspect of their behavior.

The pinnacle of our technology benefits of our Made in Italy manufacturing as well as the know-how on materials directly transferred from our Motorsport experience: the **High Performance line (HP-Line)**, such is its name, is engineered with the latest innovations in compounds and casings. A product line created for riders who demand maximum speed, control, and reliability without compromises.

A different set of casings and rubber makes for the **Performance line (P-Line)**, a combination of proven and reliable technologies already seen in our gravel products that are available for each model and focus on a level of performances that often surpass the industry standards, but focus more on durability and balanced characteristics.

From fast rolling to aggressive tread patterns, the range now covers every terrain, giving riders the freedom to choose their perfect match for any kind of riding style they intend the word Gravel for.

## TREAD OFFERING CINTURATO GRAVEL

**RH**



**H**



**RM**



**M**



**S**



HARDBACK

MUD

## TECH OVERVIEW

### 1 COMPOUND

**SMARTEVO GR**  
COMPOUND



Developed for off-road riding, the SmartEVO GR combines low rolling resistance with outstanding grip on both dry and wet surfaces, ensuring efficiency and control across all terrains.



**SPEEDGRIP**  
COMPOUND



Designed for versatility and durability, the SpeedGRIP compound combines efficient rolling performance with reliable all-condition grip, delivering a balanced mix of speed, control, and long-lasting performance on both road and off-road terrains.

### 2 STRUCTURE



**PRO WALL**  
GRAVEL



Tubeless-ready casing, inspired by MTB tires. Reinforced sidewalls provide optimal ride feel and maximum control, while ensuring the puncture protection needed for long gravel rides.



**TECH WALL**  
GRAVEL



The TechWALL Gravel casing with bead-to-bead protection offers the perfect balance of puncture resistance, reliability, and comfort, making it ideal for gravel and mixed terrains.

### 3 MOUNTING



**TUBELESS**  
**READY**



TLR technology designed for bead stability on modern wide rims

# Cinturato™ GRAVEL H

## HARDBACK TERRAIN

### TECHNOLOGIES




### DESCRIPTION

Cinturato™ Gravel H is the gravel tire designed for hard and compact surfaces, featuring a low-profile tread with tightly packed grooves that provide a wide contact area and precise handling on all hard terrains, including asphalt. Thanks to its tread design, it delivers excellent performance in all weather conditions, both dry and wet, while offering a high level of puncture protection. Compatible with hookless rims within the limits of the latest standards, it is available in multiple sizes, versions, and colors.

This tire is designed primarily for use on fast, compact gravel roads as well as long rides with extensive asphalt sections, making it the perfect choice for riders seeking maximum smoothness and efficiency on a Gravel or even All-Road bike.

### CHARACTERISTICS

#### TERRAINS



### MODELS

DESCRIPTION	SIZE	IP-CODE	WEIGHT (g)	CASING	COMPOUND	STRUCTURE
Cinturato™ Gravel H HP-Line	40-622	4708300	500	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H HP-Line	45-622	4708500	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H HP-Line	50-622	4716600	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Classic HP-Line	40-622	4708400	500	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Classic HP-Line	45-622	4708600	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Classic HP-Line	50-622	4716500	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Retrò HP-Line	40-622	4712200	500	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Retrò HP-Line	45-622	4712300	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H Retrò HP-Line	50-622	4714000	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel H P-Line	35-622	4744100	420	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel H P-Line	40-622	4744200	480	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel H P-Line	45-622	4744300	530	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel H P-Line	50-622	4744400	630	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel H P-Line	45-584	4744500	490	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel H P-Line	50-584	4744600	600	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL

# Cinturato™ GRAVEL M

## MIXED TERRAIN

### TECHNOLOGIES

HP-LINE

SMARTEVO GR  
 COMPOUND

PRO WALL  
 GRAVEL

P-LINE

SPEEDGRIP  
 COMPOUND

TECH WALL  
 GRAVEL



### DESCRIPTION

Cinturato™ Gravel M is the gravel tire designed for mixed terrains, where the surface ranges from compact to unstable, including all intermediate types. The tread features medium-height and medium-spaced knobs to deliver excellent performance on a wide variety of surfaces, along with a compact central strip that ensures record-breaking rolling efficiency within its category. Compatible with hookless rims according to the latest standards, it provides a high level of puncture protection and reliable grip in all weather conditions, whether on dry or wet ground, and is available in multiple sizes, versions, and colors. This tire is designed primarily for use on different kinds of off-road terrain, but its remarkable smoothness also makes it suitable for long stretches on hard-packed surfaces. It is the perfect choice for riders seeking maximum versatility and adaptability across all types of gravel bikes, from Racing to Adventure.


### CHARACTERISTICS

#### TERRAINS

DESIGNED FOR
  SUITABLE
  NOT SUITABLE

HARDBACK      ROCKY      MIXED      LOOSE      SOFT

— HP-LINE      — P-LINE



### MODELS

DESCRIPTION	SIZE	IP-CODE	WEIGHT (g)	CASING	COMPOUND	STRUCTURE
Cinturato™ Gravel M HP-Line	40-622	4596100	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M HP-Line	45-622	4596300	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M HP-Line	50-622	4718700	690	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Classic HP-Line	40-622	4596200	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Classic HP-Line	45-622	4596400	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Classic HP-Line	50-622	4596500	690	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Retrò HP-Line	40-622	4712500	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Retrò HP-Line	45-622	4712600	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M Retrò HP-Line	50-622	4712700	690	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel M P-Line	35-622	4744700	400	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel M P-Line	40-622	4744800	480	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel M P-Line	45-622	4744900	530	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel M P-Line	50-622	4745000	670	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel M P-Line	45-584	4745100	490	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel M P-Line	50-584	4745200	630	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL

# Cinturato™ GRAVEL RH

## RACING ON HARDPACK

### TECHNOLOGIES

HP-LINE

SMARTEVO GR  
 COMPOUND

PRO WALL  
 GRAVEL

P-LINE

SPEEDGRIP  
 COMPOUND

TECH WALL  
 GRAVEL





### DESCRIPTION

Cinturato™ Gravel RH is a tire specifically developed for the fastest gravel races, on mixed courses with asphalt and hardpack sections. The slick central band ensures maximum efficiency on compact terrain, while the pronounced side knobs provide mechanical grip on off-road sections, particularly in cornering. Thanks to its squarer profile compared to the H and M models, this tire is designed to maximize rolling efficiency in straight lines while still guaranteeing strong cornering grip—perfect for a more aggressive riding style. The “R” (Racing) models are designed for riders seeking maximum precision and performance, even on demanding terrain, primarily in race conditions but not exclusively. They feature technical solutions derived from Pirelli’s experience in MTB XC racing and deliver top-level performance for demanding and experienced gravel riders.

### CHARACTERISTICS

#### TERRAINS



### MODELS

DESCRIPTION	SIZE	IP-CODE	WEIGHT (g)	CASING	COMPOUND	STRUCTURE
Cinturato™ Gravel RH HP-Line	40-622	4746900	510	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH HP-Line	45-622	4747000	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH HP-Line	50-622	4747100	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH HP-Line	55-622	4746300	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Classic HP-Line	40-622	4747200	510	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Classic HP-Line	45-622	4747300	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Classic HP-Line	50-622	4747400	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Classic HP-Line	55-622	4746400	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Retrò HP-Line	40-622	4747500	510	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Retrò HP-Line	45-622	4747600	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Retrò HP-Line	50-622	4747700	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Retrò HP-Line	55-622	4746500	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Team Edition HP-Line	45-622	4747800	570	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Team Edition HP-Line	50-622	4747900	660	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH Team Edition HP-Line	55-622	4748000	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RH P-Line	40-622	4678400	490	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel RH P-Line	45-622	4678600	570	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel RH P-Line	50-622	4746800	620	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL



# Cinturato™ GRAVEL RM

## RACING ON MIXED TERRAIN

### TECHNOLOGIES

HP-LINE  


SMARTEVO GR  
 COMPOUND

PRO WALL  
 GRAVEL

P-LINE

SPEEDGRIP  
 COMPOUND

TECH WALL  
 GRAVEL



### DESCRIPTION

Cinturato™ Gravel RM, previously known as RC, has been developed to deliver maximum performance across most terrains. Its tread, featuring off-road dedicated knobs, ensures grip and control on a wide range of unpaved surfaces, without compromising smoothness and rolling efficiency on faster sections. Designed for riders seeking all-round speed—not just in straight lines—versatility, and reliability, Cinturato™ Gravel RM is the ideal choice for high performance on mixed courses, from asphalt to the most technical gravel or soft dirt sections. Its ability to adapt to different surfaces makes it a benchmark model for riders who want to compete at a high level without sacrificing stability and safety. The “R” (Racing) models are designed for riders seeking maximum precision and performance, even on demanding terrain, primarily in race conditions but not exclusively. They feature technical solutions derived from Pirelli’s MTB XC racing experience and deliver top-level performance for demanding and experienced gravel riders.


### CHARACTERISTICS

#### TERRAINS

DESIGNED FOR
  SUITABLE
  NOT SUITABLE



— HP-LINE
 — P-LINE



### MODELS

DESCRIPTION	SIZE	IP-CODE	WEIGHT (g)	CASING	COMPOUND	STRUCTURE
Cinturato™ Gravel RM HP-Line	40-622	4742300	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM HP-Line	45-622	4742400	580	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM HP-Line	50-622	4742500	670	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM HP-Line	55-622	4746600	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Classic HP-Line	40-622	4742600	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Classic HP-Line	45-622	4742700	580	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Classic HP-Line	50-622	4742800	670	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Classic HP-Line	55-622	4746700	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Retrò HP-Line	40-622	4742900	520	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Retrò HP-Line	45-622	4743000	580	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Retrò HP-Line	50-622	4743100	670	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Retrò HP-Line	55-622	4752600	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Team Edition HP-Line	45-622	4743200	580	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Team Edition HP-Line	50-622	4743300	670	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM Team Edition HP-Line	55-622	4743400	710	120 tpi, TLR	SmartEVO GR	ProWALL GRAVEL
Cinturato™ Gravel RM P-Line	35-622	4743800	440	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel RM P-Line	40-622	4743900	480	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel RM P-Line	45-622	4744000	570	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL
Cinturato™ Gravel RM P-Line	50-622	4837100	660	60 tpi, TLR	SpeedGRIP	TechWALL GRAVEL

